

# SAFETY DATA SHEET VT-42 CCL

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

### 1. Identification

**Product identifier** 

Product name VT-42 CCL

Synonyms; trade names Copper Clad Laminate with FR4 Epoxy Resin.

Recommended use of the chemical and restrictions on use

**Application** Production of printed circuit board materials.

Details of the supplier of the safety data sheet

Supplier Ventec Electronics (Suzhou) Co. Ltd.

308, Taishan Road, New District, Suzhou Jiangsu,

P.R.C. 215129

Manufacturer Ventec Electronics (Suzhou) Co. Ltd.

308, TaiShan Road, New District Suzhou,

Jiangsu,

P.R.China 215129 sales@ventec.com.cn

Emergency telephone number

**Emergency telephone** 0086-512-68091810

### 2. Hazard(s) identification

#### Classification of the substance or mixture

OSHA Regulatory Status This Product is Not Hazardous under the OSHA Hazard Communication Standard.

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

## VT-42 CCL

#### 3. Composition/information on ingredients

#### **Mixtures**

Epoxy Resin - Fully Cured - Proprietary Formulation

50%

CAS number: 26265-08-7

Classification

Skin Irrit. 2 - H315

Glass cloth 35%

CAS number: 65997-17-3

Classification
Not Classified

Copper Foil 15%

CAS number: 7440-50-8

Classification
Not Classified

The full text for all hazard statements is displayed in Section 16.

Composition comments Tested on 0.047" 1/1 (OA) material.

### 4. First-aid measures

### Description of first aid measures

General information Get medical advice/attention if you feel unwell. Never give anything by mouth to an

unconscious person.

Inhalation IF INHALED: Move affected person to fresh air at once. If breathing stops, provide artificial

respiration. Consult a physician for specific advice.

**Ingestion** IF SWALLOWED: Rinse mouth thoroughly with water. Consult a physician for specific advice.

**Skin Contact** Remove contaminated clothing. Rinse immediately with plenty of water.

**Eye contact** If dust has entered the eyes, proceed as follows. Rinse immediately with plenty of water.

Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or

persist after washing.

Protection of first aiders If it is suspected that airborne contaminants are still present around the affected person, first

aid personnel should wear an appropriate respirator or self-contained breathing apparatus.

### Most important symptoms and effects, both acute and delayed

**Inhalation** Inhalation of dust during cutting, grinding or sanding operations involving this product may

cause irritation of the respiratory tract.

**Ingestion** Due to the physical nature of this product, it is unlikely that ingestion will occur. May cause

discomfort if swallowed.

Skin contact

Dust may cause slight irritation.

Eye contact

Dust may cause slight irritation.

#### Indication of immediate medical attention and special treatment needed

## VT-42 CCL

### 5. Fire-fighting measures

**Extinguishing media** 

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire. Water spray, foam, dry powder

or carbon dioxide.

Unsuitable extinguishing

media

None known.

### Special hazards arising from the substance or mixture

**Specific hazards** The product is not flammable.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO2). Carbon monoxide (CO). Halogenated hydrocarbons. Acrid smoke or

fumes. Toxic gases or vapors.

Advice for firefighters

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

#### 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of dust and contact with skin and eyes.

**Environmental precautions** 

**Environmental precautions** Avoid release to the environment. Avoid spreading dust or contaminated materials.

## Methods and material for containment and cleaning up

Methods for cleaning up Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into

suitable waste disposal containers and seal securely.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions**No specific requirements are anticipated under normal conditions of use.

Advice on general occupational hygiene

No specific requirements are anticipated under normal conditions of use.

### Conditions for safe storage, including any incompatibilities

Storage precautions No specific requirements are anticipated under normal conditions of use.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

#### 8. Exposure controls/Personal protection

## Control parameters

### Occupational exposure limits

In relation to copper dust only. In relation to glass fiber only.

### Glass cloth

#### VT-42 CCL

In relation to glass fiber only.

Long-term exposure limit (8-hour TWA): OSHA 15 mg/m³ total dust Long-term exposure limit (8-hour TWA): ACGIH 1 1 fiber/cm3

### Copper Foil

Long-term exposure limit (8-hour TWA): ACGIH 0.2 mg/m³ fume

Long-term exposure limit (8-hour TWA): OSHA 1 mg/m³ dusts and mists Long-term exposure limit (8-hour TWA): ACGIH 1 mg/m³ dusts and mists

Long-term exposure limit (8-hour TWA): OSHA 0.1 mg/m³ fume

ACGIH = American Conference of Governmental Industrial Hygienists.

OSHA = Occupational Safety and Health Administration.

**Ingredient comments**No data available on the specific mixture.

**Exposure controls** 

Appropriate engineering

controls

Mechanical ventilation or local exhaust ventilation may be required.

Personal protection The following personal protection may be needed if long term exposure during machining,

grinding and sawing.

**Eye/face protection** Wear eye protection.

Hand protection Wear protective gloves.

Other skin and body

protection

No specific requirements are anticipated under normal conditions of use.

Hygiene measures Good personal hygiene procedures should be implemented.

**Respiratory protection** Wear a suitable dust mask.

### 9. Physical and chemical properties

### Information on basic physical and chemical properties

Appearance Solid.

Odor No characteristic odor.

Odor threshold Does not apply, as product is odorless.

Flammability (solid, gas) UL-94 V0

Relative density ~ 1.6 - 1.9

**Decomposition Temperature** 310°C

**Comments** Information given is applicable to the product as supplied.

## 10. Stability and reactivity

**Reactivity** Not reactive under normal use and conditions.

**Stability** Stable under normal use and conditions.

Possibility of hazardous

reactions

Product is stable. Hazardous polymerisation will not occur.

**Conditions to avoid** Avoid generation and spreading of dust.

Materials to avoid Strong acids. Strong alkalis. Strong oxidizing agents.

### VT-42 CCL

Hazardous decomposition

products

Will decompose at temperatures exceeding 310°C. Carbon monoxide (CO). Carbon dioxide

(CO2). Hydrogen bromide (HBr). Nitrous gases (NOx).

### 11. Toxicological information

#### Information on toxicological effects

**Toxicological effects** No data available on the specific mixture.

**Skin Contact** Powder may irritate skin.

**Eye contact** Powder may irritate the eyes.

#### 12. Ecological information

**Ecotoxicity** There are no data on the ecotoxicity of this product.

Persistence and degradability

Persistence and degradability The product is not biodegradable.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation.

Mobility in soil

Mobility No data available.

### 13. Disposal considerations

## Waste treatment methods

General information External recovery, treatment, recycling and disposal of waste should comply with all

applicable local and/or national regulations.

Waste class As supplied, this material is not regulated as hazardous waste under the US EPA Resources

Conservation and Recovery Act (RCRA).

## 14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, DOT).

## 15. Regulatory information

Regulatory Status Information on safety, health and environmental regulations specific to this product are

referred to where data is available.

### **US Federal Regulations**

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

Not listed.

## SARA Extremely Hazardous Substances EPCRA Reportable Quantities

Not listed.

## SARA 313 Emission Reporting

Some of the ingredients are listed or exempt.

### SARA (311/312) Hazard Categories

None

## VT-42 CCL

#### **OSHA Highly Hazardous Chemicals**

Not listed.

#### **US State Regulations**

#### California Proposition 65 Carcinogens and Reproductive Toxins

The product does not contain any substances restricted under Proposition 65.

#### Massachusetts "Right To Know" List

Some of the ingredients are listed or exempt.

#### Minnesota "Right To Know" List

Some of the ingredients are listed or exempt.

#### New Jersey "Right To Know" List

Some of the ingredients are listed or exempt.

#### Pennsylvania "Right To Know" List

Some of the ingredients are listed or exempt.

#### **Inventories**

#### Canada - DSL/NDSL

All the ingredients are listed or exempt.

#### **US-TSCA**

All the ingredients are listed or exempt.

## US - TSCA 12(b) Export Notification

Not listed.

### 16. Other information

**Issued by** HS&E Manager.

Revision date3/11/2020RevisionIssue 2SDS No.4538

SDS status Approved.

Hazard statements in full H315 Causes skin irritation.

NFPA - health hazard Exposure to dust could cause irritation but only minor residual injury even if no treatment

given

**NFPA - flammability hazard** Material is self extinguishing.

**NFPA - instability hazard** Normally stable, even under fire exposure conditions, and is not reactive with water.

ACA HMIS Flammability

rating.

Minimal Hazard.

ACA HMIS Physical hazard No.

rating.

Normally stable. (0)

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.