

SAFETY DATA SHEET

# VT-770 / 770(LK) CCL

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name VT-770 / 770(LK) CCL 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Production of printed circuit board materials For use in the Production of Printed Circuit Boards Restricted to professional users. Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address Ventec-Europe Limited Unit 1, Trojan Business Centre, Tachbrook Park Estate CV34 6RH Warwick United Kingdom +44 (0) 1926 889822 www.ventec-europe.com/ E-mail sales@ventec-europe.com Revision 02/05/2025 SDS Version 1.0 1.4. Emergency telephone number Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service) General public: England - Dial 111 to reach NHS 111 (24 hour service) Scotland - Dial 112 to reach NHS 24 (24 hour service) Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service) See section 4 "First aid measures". SECTION 2: Hazards identification Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. 2.1. Classification of the substance or mixture Skin Irrit. 2; H315, Causes skin irritation. 2.2. Label elements Hazard pictogram(s)



Signal word Warning Hazard statement(s) Causes skin irritation. (H315)



Precautionary statement(s)
General
Prevention Wash hands and exposed skin thoroughly after handling. (P264) Wear eye protection/protective gloves. (P280)
Response
-
Storage
•
Disposal
-
Hazardous substances
Does not contain any substances required to report
Additional labelling
Not applicable.
2.3. Other hazards
Additional warnings
This mixture/product does not contain any substances known to fulfil the criteria for PBT
This was also a second as a second device and a second device a second device a second device a second device a

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

5.2. Mixture5				
Product/substance	Identifiers	% w/w	Classification	Note
Epoxy Resin - Proprietary Formulation - CCL/PP	CAS No.: 26265-08-7 EC No.: 607-901-3 UK-REACH: Index No.:	40-60%	Skin Irrit. 2, H315	
Glass cloth	CAS No.: 65997-17-3 EC No.: 266-046-0 UK-REACH: Index No.:	25-40%		[1], [19]
Copper Foil	CAS No.: 7440-50-8 EC No.: 231-159-6 UK-REACH: Index No.:	10-15%		
Bis(phenoxyphenoxy)benzene , mixed isomers	e CAS No.: 31533-76-3 EC No.: 250-685-7 UK-REACH: Index No.:	5-10%	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[1] European occupational exposure limit.

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials Composition comments: Tested on 0.047" 1/1 (OA) material.

SECTION 4: First aid measures



#### 4.1. Description of first aid measures

## **General** information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

#### Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

#### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### Burns

Not applicable.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

# 4.3. Indication of any immediate medical attention and special treatment needed

## Treat symptomatically.

## Information to medics

Bring this safety data sheet or the label from this product.

# SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Some metal oxides

# 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

- Avoid direct contact with spilled substances.
- Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

#### 6.2. Environmental precautions Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

#### 6.3. Methods and material for containment and cleaning up

Limit spillage, sweep up and shovel into appropriate containers for disposal. Store in suitable, closed containers for



#### disposal.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents. 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Recommended storage material

As recommended under the TDS

# Storage conditions

As recommended by TDS

#### Incompatible materials

As recommended under the TDS

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Copper Foil Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 0,2(fume)/1(dust) Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 2 (dusts, mists)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

#### DNEL

Copper Foil		
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - Workers	Dermal	137 mg/kg bw/day
Short term – Systemic effects - Workers	Dermal	273 mg/kg bw/day
Long term – Local effects - Workers	Inhalation	1 mg/m³
Short term – Local effects - Workers	Inhalation	1 mg/m³

#### PNEC

Route of exposure: Duration of Exposure:   Freshwater   Freshwater sediment   Marine water	: PNEC: 6.3 μg/L 87 mg/kg 5.2 μg/L
Freshwater sediment	87 mg/kg
Marino water	5.2 μg/L
Marine water sediment	676 mg/kg
Sewage treatment plant	230 µg/L
Soil	65 mg/kg
Glass cloth	
Route of exposure: Duration of Exposure:	: PNEC:
Freshwater	6.5 μg/L
Freshwater sediment	174 mg/kg
Marine water	3.4 µg/L



Marine water sediment	164 mg/kg
Predators	10.9 mg/kg
Sewage treatment plant	100 µg/L
Soil	147 mg/kg

#### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

# General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### **Exposure scenarios**

There are no exposure scenarios implemented for this product.

#### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

#### Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

Airborne gas and dust concentrations must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and showers are clearly marked.

#### Hygiene measures

Take off contaminated clothing and wash it before reuse.

Measures to avoid environmental exposure

# No specific requirements.

Individual protection measures, such as personal protective equipment

#### Generally

Use only UKCA marked protective equipment.

#### **Respiratory Equipment**

Туре	Class	Colour	Standards
No special when used as intended.			
kin protection			
Recommended	Type/Category	Standards	
No special when used as intended.	-	-	
land protection			
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
No special when used as intended	-	-	-
ye protection			
Туре	Standards		
No special when used as intended.	-		

SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state Solid Colour Yellow Odour / Odour threshold None pH No data available.



Density (g/cm<sup>3</sup>) **Relative density** 1.5-1.9 **Kinematic viscosity** Does not apply to solids. Particle characteristics No data available. Phase changes Melting point/Freezing point (°C) No data available. Softening point/range (°C) Does not apply to solids. Boiling point (°C) Does not apply to solids. Vapour pressure No data available. Relative vapour density Does not apply to solids. Decomposition temperature (°C) 450 Data on fire and explosion hazards Flash point (°C) Does not apply to solids. Flammability (°C) No data available. Auto-ignition temperature (°C) No data available. Lower and upper explosion limit (% v/v) Does not apply to solids. Solubility Solubility in water No data available. n-octanol/water coefficient (LogKow) No data available. Solubility in fat (q/L) No data available. 9.2. Other information Oxidizing properties No data available. Other physical and chemical parameters No data available. SECTION 10: Stability and reactivity

# 10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

- 10.3. Possibility of hazardous reactions
- None known.

10.4. Conditions to avoid None known.

10.5. Incompatible materials

As recommended under the TDS

10.6. Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced.



SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Causes skin irritation.

# Serious eye damage/irritation

Based on available data, the classification criteria are not met.

### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met. Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

# Reproductive toxicity

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

#### Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

#### Other information

None known.

# SECTION 12: Ecological information

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

- 12.6. Endocrine disrupting properties
  - This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.
- 12.7. Other adverse effects

None known.

# SECTION 13: Disposal considerations

# Waste treatment methods



Product is covered by the regulations on hazardous waste. HP 4 - Irritant (skin irritation and eye damage) Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. EWC code Not applicable.

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

# SECTION 14: Transport information

	14.1 14.2 UN / ID UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informatio n:
ADR		-	-	-	-
IMDG		-	-	-	-
IATA		-	-	-	-

\* Packing group

\*\* Environmental hazards

#### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments No data available.

#### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Restrictions for application** 

Restricted to professional users.

Demands for specific education

No specific requirements.

# Control of Major Accident Hazards (COMAH) - Categories / dangerous substances

Not applicable.

# Additional information

No Polybrominated-Biphenyls or Polybrominated-Biphenyl-Oxides used as flame retardant in the resin system.

Sources

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

# 15.2. Chemical safety assessment

No

SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3

H315, Causes skin irritation.

H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road



ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne (European conformity) CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EuPCS = European Product Categorisation System EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals GWP = Global warming potential IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. The safety data sheet is validated by Sunny Kwok

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en